

## - LOCAL PUBLIC HEALTH

[illegible]

## NATALITY

<b>TOTAL LIVE BIRTHS</b> 871			<b>Birth Order</b>			<b>Marital Status of Mother</b>		
Crude Live Birth Rate	10.7		First	329	38	Married	768	88
General Fertility Rate	52.4		Second	303	35	Not married	103	12
Live births with reported congenital anomalies	17	. %	Third	141	16	Unknown	0	0
			Fourth or higher	98	11			
			Unknown	0	0			
<b>Delivery Type</b>	<b>Births</b>	<b>Percent</b>	<b>First Prenatal Visit</b>	<b>Births</b>	<b>Percent</b>	<b>Education of Mother</b>	<b>Births</b>	<b>Percent</b>
Vaginal after previous cesarean	31	4	1st trimester	810	93	Elementary or less	4	<.5
Forceps	20	2	2nd trimester	51	6	Some high school	34	4
Other vaginal	699	80	3rd trimester	7	1	High school	184	21
Primary cesarean	79	9	No visits	3	<.5	Some college	213	24
Repeat cesarean	42	5	Unknown	0	0	College graduate	435	50
Other or unknown	0	0				Unknown	1	<.5
<b>Birth Weight</b>	<b>Births</b>	<b>Percent</b>	<b>Number of Prenatal Care visits</b>	<b>Births</b>	<b>Percent</b>	<b>Smoking Status of Mother</b>	<b>Births</b>	<b>Percent</b>
<1,500 gm	20	2.3	No visits	3	<.5	Smoker	85	10
1,500-2,499 gm	26	3.0	1-4 visits	8	1	Nonsmoker	785	90
2,500+ gm	825	94.7	5-9 visits	91	10	Unknown	1	<.5
Unknown	0	0.0	10-12 visits	417	48			
			13+ visits	350	40			
			Unknown	2	<.5			
			<b>Low Birth Weight (under 2,500 gm)</b>					
			<b>Trimester of First Prenatal Visit</b>					
			<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
<b>Race of Mother</b>	<b>Total Births</b>	<b>Percent</b>	<b>Births</b>	<b>Percent</b>	<b>Births</b>	<b>Percent</b>	<b>Births</b>	<b>Percent</b>
White	839	96	44	5.2	785	94	44	5
Black	8	1	2	25.0	5	63	3	38
Other	24	3	.	.	20	83	4	17
Unknown	0	0	.	.	.	.	.	.
			<b>Low Birth Weight (under 2,500 gm)</b>					
			<b>Trimester of First Prenatal Visit</b>					
			<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
<b>Age of Mother</b>	<b>Fertility</b>	<b>Rate</b>	<b>Births</b>	<b>Percent</b>	<b>Births</b>	<b>Percent</b>	<b>Births</b>	<b>Percent</b>
<15	1	--	*	.	*	.	*	.
15-17	12	.	2	16.7	8	67	3	25
18-19	19	.	3	15.8	14	74	5	26
20-24	103	48	4	3.9	85	83	14	14
25-29	232	112	14	6.0	214	92	16	7
30-34	335	134	11	3.3	325	97	8	2
35-39	154	45	10	6.5	149	97	4	3
40+	14	.	1	7.1	14	100	.	.
Unknown	1	--	*	.	*	.	*	.
<b>Teenage Births</b>	32	11	* - Not reported. Age or race category has less than 5 births					

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	12
Giardiasis	19
Hepatitis Type A	0
Hepatitis Type B**	<5
Hepatitis NANB/C***	
Legionnaire's	<5
Lyme	0
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	12
Shigellosis	<5
Tuberculosis	<5

\* 1999 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	31
Genital Herpes	26
Gonorrhea	12
Nongonococcal Cervicitis	.
Nongonococcal Urethritis	.
Syphilis	.

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	15,505
Non-compliant	402
Percent Compliant	97.5

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	575
Crude Death Rate	709

Age	Deaths	Rate
1-4	.	.
5-14	1	.
15-19	2	.
20-34	6	.
35-54	52	197
55-64	49	622
65-74	117	2,125
75-84	173	5,071
85+	171	15,000

Infant

Mortality	Deaths	Rate
Total Infant	4	.
Neonatal	3	.
Postneonatal	1	.
Unknown	.	.

Race of Mother

White	3	.
Black	1	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	2	.
1,500-2,499 gm	.	.
2,500+ gm	2	.
Unknown	.	.

Perinatal

Mortality	Deaths	Rate
Total Perinatal	6	.
Neonatal	3	.
Fetal	3	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	177	218
Ischemic heart disease	.	.
Cancer (total)	173	213
Trachea/Bronchus/Lung	.	.
Colorectal	22	27
Female Breast	13	.*
Cerebrovascular Disease	37	46
Lower Resp. Disease	.	.
Pneumonia & Influenza	12	.
Injuries	14	.
Motor vehicle	5	.
Diabetes	23	28
Infectious & Parasitic	4	.
Suicide	6	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	3	.
Other Drugs	8	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	557	6
Alcohol-Related	35	0
With Citation:		
For OWI	8	0
For Speeding	57	0
Motorcyclist	27	0
Bicyclist	7	0
Pedestrian	7	2

## ----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	530	6.5	4.8	\$13,926	\$91	Total	204	2.5	3.3	\$4,053	\$10
<18	40	1.9	2.7	\$7,207	\$14	18-44	121	4.0	2.7	\$3,279	\$13
18-44	120	4.0	3.9	\$11,632	\$46	45-64	62	3.1	3.8	\$4,944	\$15
45-64	121	6.0	5.0	\$15,796	\$95	<b>Pneumonia and Influenza</b>					
65+	249	24.8	5.4	\$15,201	\$376	Total	216	2.7	5.5	\$10,754	\$29
<b>Injury: Hip Fracture</b>						<18	13	.	.	.	.
Total	71	0.9	6.3	\$15,393	\$13	45-64	39	1.9	6.6	\$14,985	\$29
65+	69	6.9	6.1	\$15,444	\$106	65+	142	14.1	5.5	\$6	\$0
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	39	0.5	2.5	\$5,353	\$3	Total	186	2.3	5.2	\$12,055	\$28
18-44	27	0.9	2.7	\$5,657	\$5	45-64	24	1.2	4.3	\$13,603	\$16
<b>Psychiatric</b>						65+	157	15.6	5.1	\$11,300	\$176
Total	451	5.6	7.4	\$7,195	\$40	<b>Chronic Obstructive Pulmonary Disease</b>					
<18	77	3.7	6.8	\$6,205	\$23	Total	111	1.4	4.7	\$9,628	\$13
18-44	248	8.2	7.5	\$6,983	\$57	<18	14	.	.	.	.
45-64	59	2.9	6.0	\$6,471	\$19	18-44	11	.	.	.	.
65+	67	6.7	9.0	\$9,757	\$65	45-64	28	1.4	4.5	\$9,556	\$13
<b>Coronary Heart Disease</b>						65+	58	5.8	5.7	\$11,520	\$66
Total	484	6.0	4.0	\$23,961	\$143	<b>Drug-Related</b>					
45-64	178	8.9	3.2	\$21,901	\$194	Total	39	0.5	8.3	\$6,769	\$3
65+	285	28.3	4.5	\$25,285	\$717	18-44	25	0.8	3.7	\$3,965	\$3
<b>Malignant Neoplasms (Cancers): All</b>						<b>Total Hospitalizations</b>					
Total	379	4.7	6.2	\$17,987	\$84	Total	7,702	95.0	4.3	\$10,376	\$985
18-44	39	1.3	5.2	\$19,828	\$26	<18	1,306	62.7	3.2	\$4,987	\$313
45-64	142	7.1	6.4	\$18,832	\$133	18-44	2,001	66.4	3.4	\$7,105	\$472
65+	192	19.1	6.3	\$17,127	\$327	45-64	1,548	77.1	4.6	\$13,708	\$1,058
<b>Neoplasms: Female Breast (rates for female population)</b>						65+	2,847	283.1	5.3	\$13,335	\$3,775
Total	35	0.9	2.1	\$9,425	\$8	<b>----- PREVENTABLE HOSPITALIZATIONS* -----</b>					
<b>Neoplasms: Colo-rectal</b>						Total	812	10.0	4.8	\$9,524	\$95
Total	39	0.5	8.8	\$19,294	\$9	<18	74	3.6	2.1	\$4,215	\$15
65+	28	2.8	8.6	\$18,875	\$53	18-44	78	2.6	3.4	\$6,671	\$17
<b>Neoplasms: Lung</b>						45-64	164	8.2	5.4	\$12,738	\$104
Total	37	0.5	5.1	\$14,548	\$7	65+	496	49.3	5.2	\$9,701	\$478
<b>Diabetes</b>						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					
Total	86	1.1	4.7	\$9,312	\$10						
65+	39	3.9	5.5	\$10,395	\$40						